

Michal Goldberg
LIST OF PUBLICATIONS
February 2019

Gold A, Eini L, Nissim-Rafinia M, Viner R, Ezer S, Erez K, Aqaq N, Hanania R, Milyavsky M, Meshorer E* & **Goldberg M***. Spironolactone inhibits growth of cancer stem cells by impairing the DNA damage response. *Oncogene*. 2019; doi: 10.1038/s41388-018-0654-9. * Corresponding Authors.

Weinberg-Shukron A, Rachmiel M, Renbaum P, Gulsuner S, Walsh T, Lobel O, Dreifuss A, Ben-Moshe A, Zeligson S, Segel R, Shore T, Kalifa R, **Goldberg M**, King MC, Gerlitz O, Levy-Lahad E & Zangen D. Essential Role of BRCA2 in Ovarian Development and Function. *N Engl J Med*. 2018; 379(11):1042-9.

Ben Yehuda A, Rishq M, Novoplansky O, Bersuker K, Kopito RR, Goldberg M & Brandeis M. Ubiquitin Accumulation on Disease Associated Protein Aggregates Is Correlated with Nuclear Ubiquitin Depletion, Histone De-Ubiquitination and Impaired DNA Damage Response. *PLoS One*. 2017;12(1):e0169054.

Halevy T, Akov S , Bohndorf M, Mlody B, Adjaye J, Benvenisty N* & **Goldberg M***. Chromosomal Instability and Molecular Defects in Induced Pluripotent Stem Cells with Nijmegen Breakage Syndrome. *Cell Reports*, 2016;16(9):2499-511. *Corresponding Authors

Gutkin A, Uziel O, Beery E, Nordenberg J, Pinchasi M, Goldvaser H, Henick S, **Goldberg M** & Lahav M. Tumor cells derived exosomes contain hTERT mRNA and transform nonmalignant fibroblasts into telomerase positive cells. *Oncotarget*, 2016;7:59173-88.

Goldberg M. KDM4D crosstalks with PARP1 and RNA at DNA DSBs. *Cell Cycle*, 2015; 14(10):1495.

Gazy I, Zeevi DA, Renbaum P, Zeligson S, Eini L, Bashari D, Smith Y, Lahad A, **Goldberg M**, Ginsberg D & Levy-Lahad E. TODRA, a lncRNA at the RAD51 Locus, Is Oppositely Regulated to RAD51, and Enhances RAD51-Dependent DSB (Double Strand Break) Repair. *PLoS One*, 2015; 10(7):e0134120.

Strauss C, Kornowski M, Benvenisty A, Shahar A, Masury H, Ben-Porath I, Ravid T, Arbel-Eden A & **Goldberg M**. The DNA2 nuclease/helicase is an estrogen-dependent gene mutated in breast and ovarian cancers. *Oncotarget*. 2014;5:9396-409.

Eliezer Y, Argaman L, Kornowski M, Roniger M & **Goldberg M**. Interplay between the DNA damage proteins MDC1 and ATM in the regulation of the spindle assembly checkpoint. *J Biol Chem*. 2014;289:8182-93.

Shahar OD, Kalousi A, Eini L, Fisher B, Weiss A, Darr J, Mazina O, Bramson S, Kupiec M, Eden A, Meshorer E, Mazin AV, Brino L, **Goldberg M*** & Soutoglou E*. A high-throughput chemical screen with FDA approved drugs reveals that the antihypertensive drug Spironolactone impairs cancer cell survival by inhibiting homology directed repair. *Nucleic Acids Res*. 2014;42:5689-701.* Corresponding Author.

- Shahar OD, Gabizon R, Feine O, Alhadeff R, Ganoth A, Argaman L, Shimshoni E, Friedler A & **Goldberg M**. Acetylation of lysine 382 and phosphorylation of serine 392 in p53 modulate the interaction between p53 and MDC1 in vitro. PLoS One, 2013; 8(10):e78472.
- Coster G, Gold A, Chen D, Schatz DG & **Goldberg M**. A dual interaction between the DNA damage response protein MDC1 and the RAG1 subunit of the V(D)J recombinase. J Biol Chem, 2012; 287:36488-98.
- Nowarski R, Wilner OI, Shahar OD, Baraz L, Cheshin O, Kenig E, Britan-Rosich E, Nagler A, **Goldberg M**, Willner I, and Kotler M. APOBEC3G enhances lymphoma cell radioresistance by promoting cytidine deaminase-dependent DNA repair. Blood, 2012; 120: 366-75.
- Lemaitre C, Fisher B, Kalousi A, Guirouilh-Barbat J, Shahar OD, Hoffbeck A, **Goldberg M**, Bertrand P, Lopez B, Brino L & Soutoglou E. The nucleoporin 153 plays a novel role in double strand break repair by promoting 53BP1 nuclear localization. Oncogene, 2012; 31: 4803-9.
- Shahar OD, Raghu Ram VSE, Shimshoni E, Hareli S, Meshorer E & **Goldberg M**. Live imaging of induced and controlled DNA double-strand break formation reveals extremely low repair by homologous recombination in human cells. Oncogene, 2012; 31: 3495-504.
- Strauss C & **Goldberg M**. Extra View: Recruitment of proteins to DNA double-strand breaks: MDC1 directly recruits RAP80. Cell cycle, 2011; 10:2850-7.
- Strauss C, Halevy T, Argaman L, Macarob M & **Goldberg M**. MDC1 is ubiquitylated on its tandem BRCT domain and directly binds RAP80 in a UBC13-dependent manner. DNA Repair, 2011; 10:806-14.
- Yogev O, Yogev O, Singer E, Shaulian E, **Goldberg M**, Fox TD & Pines O. Fumarase: A mitochondrial metabolic enzyme and a cytosolic/nuclear component of the DNA damage response. PLOS Biol., 2010; 8: e1000328.
- Coster G & **Goldberg M**. Review: The cellular response to DNA damage, a focus on MDC1 and its interacting proteins. Nucleus, 2010; 1:166-78.
- Eliezer Y, Argaman L, Rhie A, Doherty AJ & **Goldberg M**. The direct interaction between 53BP1 and MDC1 is required for the recruitment of 53BP1 to sites of damage. J. Biol. Chem, 2009; 284:426-35.
- Coster G, Hayouka Z, Argaman L, Strauss C, Friedler A, Brandeis M & **Goldberg M**. The DNA damage response mediator MDC1 directly interacts with the anaphase promoting complex/cyclosome. J. Biol. Chem, 2007; 282:32053-64.
- Schwartz M, Zlotorynske E, **Goldberg M**, Ozeri E, Rahat A, Sage CL, Chen BPC, Chen DJ, Agami R & Kerem B. Homologous recombination and non-homologous end joining repair pathways regulate fragile site stability. Genes Dev. 2005; 19:2715-26.
- Mattout A, **Goldberg M**, Tzur Y, Margalit A & Gruenbaum Y. Specific sequences of lamin Dm0 are required for interaction with histone H2A tail domain. J. Cell Sci. 2007; 120:77-85.
- Lukas C, Melander F, Stucki M, Falck J, Bekker-Jensen S, **Goldberg M**, Lerenthal Y, Jackson SP, Bartek J & Lukas J. Mdc1 couples DNA double-strand break recognition by Nbs1 with its H2AX-dependent chromatin retention. EMBO J. 2004; 23:2674-83.
- Squires S, Coates JA, **Goldberg M**, Toji LH, Jackson SP, Clarke DJ & Johnson RT. p53 prevents the accumulation of double-strand DNA breaks at stalled-replication forks induced by UV in human cells. Cell Cycle, 2004; 3:e27-e40.

Goldberg M*, Stucki M*, Falck J, D'Amours D, Rahman D, Pappin D, Bartek J & Jackson SP. MDC1 is required for the intra-S-phase DNA damage checkpoint. Nature, 2003; 421:952-956. *Co-first authors.

Li J, Williams BL, Haire LF, **Goldberg M**, Wilker E, Durocher D & Yaffe MB, Jackson SP, Smerdon SJ. Structural and functional versatility of the FHA domain in DNA-damage signaling by the tumor suppressor kinase Chk2. Mol. Cell, 2002; 9:1045-1054.

Gruenbaum Y, Wilson KL, Harel A, **Goldberg M** & Cohen M. Review: nuclear lamins-structural proteins with fundamental functions. J. Struct. Biol. 2000; 129:313-23.

Goldberg M, Nili E, Cojocaru G, Tzur YB, Berger R, Brandeis M, Rechavi G & Gruenbaum Y, Simon AJ. Functional organization of the nuclear lamina. Review. Gene Ther. Mol. Biol. 1999; 4: 143-58.

Goldberg M, Harel A & Gruenbaum Y. Review: The nuclear lamina: molecular organization and interaction with chromatin. Crit. Rev. Eukaryot. Gene Expr. 1999; 9:285-93.

Goldberg M, Gruenbaum Y & Brandeis M. The use of green fluorescent fusion proteins for efficient and reliable in vitro binding assays [TIBS/TIGS Technical Tips]. TTO, 1999; 1:81:TO1801.

Goldberg M*, Harel A*, Brandeis M, Rechsteiner T, Richmond TJ, Weiss AM & Gruenbaum Y. The tail domain of lamin Dm0 binds histones H2A and H2B. Proc. Natl. Acad. Sci. USA. 1999; 96:2852-2857. *co-first authors.

Harel A, **Goldberg M**, Ulitzur N & Gruenbaum Y. Review: Structural organization and biological roles of the nuclear lamina. Gene Ther. Mol. Biol. 1998; 1:529-542.

Goldberg M*, Lu H*, Stuurman N, Ashery-Padan R, Weiss AM, Yu J, Bhattacharyya D, Fisher PA, Gruenbaum Y & Wolfner MF. Interactions among Drosophila nuclear envelope proteins lamin, otefin, and YA. Mol. Cell. Biol. 1998; 18:4315-4323. *co-first authors.

Goldberg M & Gruenbaum Y. Review: Knockout and knockin mice. Harefuah 1997; 132:269-274 (Hebrew).

Ulitzur N, Harel A, **Goldberg M**, Feinstein N & Gruenbaum Y. Nuclear membrane vesicle targeting to chromatin in a Drosophila embryo cell-free system. Mol. Biol. Cell. 1997; 8:1439-1448.

Ashery-Padan R, Ulitzur N, Arbel A , **Goldberg M**, Weiss AM, Maus N, Fisher PA & Gruenbaum Y. Localization and posttranslational modifications of otefin, a protein required for vesicle attachment to chromatin, during Drosophila melanogaster development. Mol. Cell. Biol. 1997; 17:4114-4123.